

## QN0603X104J3950FB

R25=100k $\Omega$   $\pm$ 5%, B25/50=3950  $\pm$ 1%, B25/85=4010

温度 Temp. (°C)	R 最小值 R_Min (Kohm)	R 中心值 R_Cent (Kohm)	R 最大值 R_Max (Kohm)	阻值公差 Res TOL.	温度公差 Temp. TOL.(°C)
-40	2,959.652	3,225.545	3,506.537	8.71%	1.27
-39	2,775.905	3,023.332	3,284.581	8.64%	1.27
-38	2,604.649	2,834.987	3,077.980	8.57%	1.27
-37	2,444.966	2,659.483	2,885.589	8.50%	1.27
-36	2,296.011	2,495.874	2,706.351	8.43%	1.27
-35	2,157.005	2,343.289	2,539.296	8.36%	1.27
-34	2,027.228	2,200.924	2,383.529	8.30%	1.27
-33	1,906.018	2,068.041	2,238.226	8.23%	1.27
-32	1,792.763	1,943.955	2,102.627	8.16%	1.27
-31	1,686.897	1,828.036	1,976.032	8.10%	1.27
-30	1,587.898	1,719.704	1,857.794	8.03%	1.27
-29	1,495.284	1,618.419	1,747.315	7.96%	1.26
-28	1,408.608	1,523.686	1,644.045	7.90%	1.26
-27	1,327.458	1,435.046	1,547.475	7.83%	1.26
-26	1,251.451	1,352.073	1,457.134	7.77%	1.26
-25	1,180.234	1,274.376	1,372.587	7.71%	1.26
-24	1,113.480	1,201.590	1,293.431	7.64%	1.26
-23	1,050.884	1,133.379	1,219.293	7.58%	1.26
-22	992.166	1,069.430	1,149.829	7.52%	1.26
-21	937.065	1,009.455	1,084.719	7.46%	1.25
-20	885.338	953.185	1,023.666	7.39%	1.25
-19	836.762	900.373	966.398	7.33%	1.25
-18	791.127	850.787	912.658	7.27%	1.25
-17	748.240	804.212	862.211	7.21%	1.25
-16	707.920	760.451	814.838	7.15%	1.25
-15	670.002	719.319	770.336	7.09%	1.24
-14	634.328	680.643	728.514	7.03%	1.24

温度 Temp. (°C)	R 最小值 R_Min (Kohm)	R 中心值 R_Cent (Kohm)	R 最大值 R_Max (Kohm)	阻值公差 Res TOL.	温度公差 Temp. TOL.(°C)
-13	600.755	644.265	689.199	6.97%	1.24
-12	569.147	610.035	652.225	6.92%	1.24
-11	539.380	577.816	617.442	6.86%	1.24
-10	511.337	547.478	584.709	6.80%	1.24
-9	484.908	518.903	553.894	6.74%	1.23
-8	459.992	491.979	524.874	6.69%	1.23
-7	436.496	466.601	497.536	6.63%	1.23
-6	414.330	442.674	471.774	6.57%	1.23
-5	393.413	420.105	447.488	6.52%	1.23
-4	373.667	398.813	424.586	6.46%	1.22
-3	355.022	378.717	402.983	6.41%	1.22
-2	337.409	359.744	382.598	6.35%	1.22
-1	320.768	341.826	363.356	6.30%	1.22
0	305.038	324.899	345.187	6.24%	1.21
1	290.166	308.903	328.027	6.19%	1.21
2	276.101	293.781	311.813	6.14%	1.21
3	262.794	279.483	296.488	6.08%	1.21
4	250.200	265.958	282.000	6.03%	1.20
5	238.279	253.161	268.299	5.98%	1.20
6	226.990	241.049	255.338	5.93%	1.20
7	216.298	229.582	243.073	5.88%	1.20
8	206.166	218.722	231.463	5.82%	1.19
9	196.564	208.435	220.470	5.77%	1.19
10	187.461	198.687	210.058	5.72%	1.19
11	178.828	189.447	200.194	5.67%	1.18
12	170.639	180.686	190.846	5.62%	1.18
13	162.869	172.377	181.984	5.57%	1.18
14	155.494	164.495	173.581	5.52%	1.18
15	148.492	157.015	165.611	5.47%	1.17
16	141.843	149.914	158.049	5.43%	1.17

温度 Temp. (°C)	R 最小值 R_Min (Kohm)	R 中心值 R_Cent (Kohm)	R 最大值 R_Max (Kohm)	阻值公差 Res TOL.	温度公差 Temp. TOL.(°C)
17	135.527	143.173	150.872	5.38%	1.17
18	129.525	136.770	144.059	5.33%	1.16
19	123.821	130.688	137.590	5.28%	1.16
20	118.399	124.908	131.445	5.23%	1.16
21	113.242	119.413	125.607	5.19%	1.15
22	108.337	114.190	120.059	5.14%	1.15
23	103.670	109.222	114.785	5.09%	1.15
24	99.228	104.497	109.770	5.05%	1.14
25	95.000	100.000	105.000	5.00%	1.14
26	90.895	95.720	100.550	5.05%	1.16
27	86.988	91.646	96.312	5.09%	1.18
28	83.269	87.766	92.275	5.14%	1.19
29	79.729	84.071	88.428	5.18%	1.21
30	76.357	80.550	84.761	5.23%	1.23
31	73.145	77.195	81.265	5.27%	1.25
32	70.085	73.997	77.931	5.32%	1.26
33	67.169	70.947	74.751	5.36%	1.28
34	64.389	68.039	71.717	5.41%	1.30
35	61.738	65.265	68.821	5.45%	1.32
36	59.210	62.618	66.058	5.49%	1.34
37	56.798	60.092	63.419	5.54%	1.36
38	54.496	57.681	60.899	5.58%	1.38
39	52.300	55.379	58.492	5.62%	1.39
40	50.203	53.180	56.193	5.67%	1.41
41	48.201	51.080	53.995	5.71%	1.43
42	46.288	49.073	51.894	5.75%	1.45
43	44.462	47.155	49.886	5.79%	1.47
44	42.716	45.321	47.966	5.83%	1.49
45	41.048	43.569	46.129	5.88%	1.51
46	39.453	41.892	44.371	5.92%	1.53

温度 Temp. (°C)	R 最小值 R_Min (Kohm)	R 中心值 R_Cent (Kohm)	R 最大值 R_Max (Kohm)	阻值公差 Res TOL.	温度公差 Temp. TOL.(°C)
47	37.928	40.289	42.689	5.96%	1.55
48	36.469	38.755	41.080	6.00%	1.57
49	35.074	37.286	39.539	6.04%	1.59
50	33.739	35.881	38.063	6.08%	1.61
51	32.462	34.536	36.650	6.12%	1.63
52	31.239	33.248	35.296	6.16%	1.65
53	30.069	32.014	33.999	6.20%	1.67
54	28.947	30.832	32.756	6.24%	1.69
55	27.874	29.699	31.565	6.28%	1.71
56	26.845	28.614	30.423	6.32%	1.73
57	25.859	27.573	29.327	6.36%	1.75
58	24.914	26.576	28.277	6.40%	1.77
59	24.009	25.619	27.269	6.44%	1.79
60	23.140	24.701	26.302	6.48%	1.81
61	22.308	23.821	25.374	6.52%	1.83
62	21.509	22.976	24.483	6.56%	1.85
63	20.743	22.166	23.627	6.59%	1.88
64	20.007	21.388	22.806	6.63%	1.90
65	19.302	20.641	22.017	6.67%	1.92
66	18.624	19.923	21.260	6.71%	1.94
67	17.974	19.234	20.532	6.75%	1.96
68	17.349	18.572	19.832	6.78%	1.98
69	16.749	17.936	19.159	6.82%	2.00
70	16.173	17.325	18.513	6.86%	2.03
71	15.619	16.738	17.891	6.89%	2.05
72	15.087	16.173	17.294	6.93%	2.07
73	14.575	15.630	16.719	6.97%	2.09
74	14.083	15.108	16.166	7.00%	2.11
75	13.611	14.605	15.633	7.04%	2.14
76	13.156	14.122	15.121	7.08%	2.16

温度 Temp. (°C)	R 最小值 R_Min (Kohm)	R 中心值 R_Cent (Kohm)	R 最大值 R_Max (Kohm)	阻值公差 Res TOL.	温度公差 Temp. TOL.(°C)
77	12.718	13.657	14.628	7.11%	2.18
78	12.297	13.209	14.154	7.15%	2.20
79	11.892	12.779	13.696	7.18%	2.23
80	11.503	12.364	13.256	7.22%	2.25
81	11.128	11.965	12.832	7.25%	2.27
82	10.766	11.580	12.424	7.29%	2.30
83	10.419	11.210	12.030	7.32%	2.32
84	10.084	10.853	11.651	7.36%	2.34
85	9.761	10.509	11.286	7.39%	2.36
86	9.450	10.177	10.933	7.43%	2.39
87	9.151	9.858	10.593	7.46%	2.41
88	8.862	9.550	10.266	7.50%	2.44
89	8.584	9.253	9.950	7.53%	2.46
90	8.315	8.967	9.645	7.56%	2.48
91	8.057	8.691	9.351	7.60%	2.51
92	7.807	8.424	9.067	7.63%	2.53
93	7.567	8.167	8.793	7.66%	2.55
94	7.335	7.919	8.529	7.70%	2.58
95	7.111	7.680	8.273	7.73%	2.60
96	6.895	7.449	8.027	7.76%	2.63
97	6.686	7.226	7.789	7.80%	2.65
98	6.485	7.010	7.559	7.83%	2.68
99	6.291	6.802	7.337	7.86%	2.70
100	6.103	6.601	7.122	7.89%	2.73
101	5.922	6.407	6.915	7.93%	2.75
102	5.747	6.220	6.715	7.96%	2.78
103	5.578	6.039	6.521	7.99%	2.80
104	5.415	5.864	6.334	8.02%	2.83
105	5.257	5.694	6.153	8.05%	2.85
106	5.104	5.531	5.978	8.08%	2.88

温度 Temp. (°C)	R 最小值 R_Min (Kohm)	R 中心值 R_Cent (Kohm)	R 最大值 R_Max (Kohm)	阻值公差 Res TOL.	温度公差 Temp. TOL.(°C)
107	4.957	5.373	5.809	8.12%	2.90
108	4.814	5.220	5.645	8.15%	2.93
109	4.677	5.072	5.486	8.18%	2.95
110	4.543	4.929	5.333	8.21%	2.98
111	4.414	4.790	5.185	8.24%	3.00
112	4.290	4.656	5.041	8.27%	3.03
113	4.169	4.527	4.902	8.30%	3.06
114	4.052	4.401	4.768	8.33%	3.08
115	3.940	4.280	4.638	8.36%	3.11
116	3.830	4.162	4.511	8.39%	3.14
117	3.725	4.048	4.389	8.42%	3.16
118	3.622	3.938	4.271	8.45%	3.19
119	3.523	3.831	4.156	8.48%	3.21
120	3.427	3.728	4.045	8.51%	3.24
121	3.334	3.628	3.938	8.54%	3.27
122	3.244	3.531	3.834	8.57%	3.30
123	3.157	3.437	3.732	8.60%	3.32
124	3.072	3.346	3.634	8.63%	3.35
125	2.990	3.257	3.539	8.66%	3.38